


# AW PANA 500A

## TECHNICAL DATA:

Rating: 500A      Duty Cycle: 60%  
450A              Wire Size: 0.8 ~ 1.6MM



## AW PANA 500A WELDING TORCH

Designed for maximum power and endurance, the PANA 500A delivers up to 500 amps of MIG welding performance.

Its heavy-duty build, continuous wire feed, and shielding gas system ensure strong, precise welds—ideal for large-scale industrial fabrication and demanding welding projects.



PANA500A MIG TORCH  
(EURO FITTING)



PANA 500A MIG TORCH  
(JAPAN FITTING)



## AW PANA 500A (COMPLETE TORCHES)

### PRODUCT DESCRIPTION

PANA 500A MIG TORCH	3M (EURO FITTING)
	4M (EURO FITTING)
	5M (EURO FITTING)
	3M (JAPAN FITTING)
	4M (JAPAN FITTING)
	5M (JAPAN FITTING)

## AW PANA 500A (PARTS)

### PRODUCT DESCRIPTION

- 1 PANA 500A Nozzle Copper Straight 19mm

## AW PANA 500A (PARTS)

### PRODUCT DESCRIPTION

- 2 Contact Tip M6 x 42 x 0.8mm  
Contact Tip M6 x 42 x 1.0mm  
Contact Tip M6 x 45 x 0.8mm  
Contact Tip M6 x 45 x 1.0mm  
Contact Tip M6 x 45 x 1.2mm  
Contact Tip M6 x 45 x 1.4mm  
Contact Tip M6 x 45 x 1.6mm  
Contact Tip M6 x 45 x 1.2mm CUCRZR  
Contact Tip M6 x 45 x 1.6mm CUCRZR



### AW PANA 500A (PARTS)

#### PRODUCT DESCRIPTION


- 3 PANA 500A Gas Diffuser/Orifice



### AW PANA 500A (PARTS)

#### PRODUCT DESCRIPTION

- 4 PANA 500A Insulator



### AW PANA 500A (PARTS)

#### PRODUCT DESCRIPTION

- 5 PANA 500A Tip Adapter (Male)
- PANA 500A Tip Adapter (Female)



### AW PANA 500A (PARTS)

#### PRODUCT DESCRIPTION

- 6 PANA 500A Swan Neck

### AW PANA 500A (PARTS)

#### PRODUCT DESCRIPTION

- 7 MIG TRIGGER SWITCH FOR PANA TORCH (Black)
- 8 PANA 350/500A LINER 3M (Euro Fitting)
- PANA 350/500A LINER 4M (Euro Fitting)
- PANA 350/500A LINER 5M (Euro Fitting)
- Teflon LINER 3M (JAPAN Fitting)
- Teflon LINER 4M (JAPAN Fitting)
- Teflon LINER 5M (JAPAN Fitting)
- Teflon LINER 4M (JAPAN Fitting) BLACK